DATA SHEET

Avogadro constant, N _A	$6.022 \times 10^{23} \text{ mol}^{-1}$
Volume of 1 mole ideal gas: at 100 kPa and	
at 0°C (273.15 K)	22.71 L
at 25°C (298.15 K)	24.79 L
Ionisation constant for water at 25°C (298.15 K), K_w	1.0×10^{-14}
Specific heat capacity of water	$4.18 \times 10^3 \text{ J kg}^{-1} \text{ K}^{-1}$

Some useful formulae

 $pH = -\log_{10}[H^+]$

 $\Delta H = -mC\Delta T$

Some standard potentials

		· · · · · · · · · · · ·	
$K^+ + e^-$	\rightleftharpoons	$\mathbf{K}(s)$	–2.94 V
$Ba^{2+} + 2e^{-}$	\rightleftharpoons	Ba(s)	–2.91 V
$Ca^{2+} + 2e^{-}$	$\stackrel{\frown}{\leftarrow}$	Ca(s)	–2.87 V
$Na^+ + e^-$	$\stackrel{\frown}{\leftarrow}$	Na(s)	–2.71 V
$Mg^{2+} + 2e^{-}$	\rightleftharpoons	Mg(s)	–2.36 V
$Al^{3+} + 3e^{-}$	\rightleftharpoons	Al(s)	–1.68 V
$Mn^{2+} + 2e^{-}$	\rightleftharpoons	Mn(s)	–1.18 V
$H_2O + e^-$	\rightleftharpoons	$\frac{1}{2}$ H ₂ (g) + OH ⁻	-0.83 V
$Zn^{2+} + 2e^{-}$	\rightleftharpoons	Zn(s)	–0.76 V
$Fe^{2+} + 2e^{-}$	\rightleftharpoons	Fe(s)	-0.44 V
$Ni^{2+} + 2e^{-}$	\rightleftharpoons	Ni(s)	-0.24 V
$Sn^{2+} + 2e^{-}$	\rightleftharpoons	Sn(s)	-0.14 V
$Pb^{2+} + 2e^{-}$	\rightleftharpoons	Pb(s)	-0.13 V
$H^+ + e^-$	\rightleftharpoons	$\frac{1}{2}$ H ₂ (g)	0.00 V
$SO_4^{2-} + 4H^+ + 2e^-$	\rightleftharpoons	$SO_2(aq) + 2H_2O$	0.16 V
$Cu^{2+} + 2e^{-}$	\rightleftharpoons	Cu(s)	0.34 V
$\frac{1}{2}O_2(g) + H_2O + 2e^{-1}$	\rightleftharpoons	20H ⁻	0.40 V
$Cu^+ + e^-$	\rightleftharpoons	Cu(s)	0.52 V
$\frac{1}{2}I_2(s) + e^{-1}$	\rightleftharpoons	I-	0.54 V
$\frac{1}{2}I_2(aq) + e^{-1}$	\rightleftharpoons	I-	0.62 V
$Fe^{3+} + e^{-}$	\rightleftharpoons	Fe ²⁺	0.77 V
$Ag^+ + e^-$	\rightleftharpoons	Ag(s)	0.80 V
$\frac{1}{2}$ Br ₂ (l) + e ⁻	\rightleftharpoons	Br-	1.08 V
$\frac{1}{2}$ Br ₂ (aq) + e ⁻	\rightleftharpoons	Br-	1.10 V
$\frac{1}{2}O_2(g) + 2H^+ + 2e^-$	\rightleftharpoons	H ₂ O	1.23 V
$\frac{1}{2}\text{Cl}_2(g) + e^-$	\rightleftharpoons	Cl	1.36 V
$\frac{1}{2}$ Cr ₂ O ₇ ²⁻ + 7H ⁺ + 3e ⁻	\rightleftharpoons	$Cr^{3+} + \frac{7}{2}H_2O$	1.36 V
$\frac{1}{2}$ Cl ₂ (<i>aq</i>) + e ⁻	\rightleftharpoons	Cl	1.40 V
$MnO_{4}^{-} + 8H^{+} + 5e^{-}$	\rightleftharpoons	$Mn^{2+} + 4H_2O$	1.51 V
$\frac{1}{2}\mathbf{F}_2(g) + \mathbf{e}^-$	\rightleftharpoons	F ⁻	2.89 V

Aylward and Findlay, *SI Chemical Data* (5th Edition) is the principal source of data for this examination paper. Some data may have been modified for examination purposes.

	1	PERIODIC TABLE OF THE ELEMENTS														$\boxed{}$		
	H																	2 He
	1.008								KEY									4.003 Helium
	Hydrogen 3	4					Ato	mic Number	79				5	6	7	8	9	10
	Li	Be						Symbol	Au				В	C	N	0	F	Ne
	6.941 _{Lithium}	9.012 Beryllium					Standard Ato	omic Weight Name	197.0 _{Gold}				10.81 Boron	12.01 Carbon	14.01 Nitrogen	16.00 Oxygen	19.00 Fluorine	20.18 _{Neon}
	11	12											17	18				
	Na	Mg											Al	Si	P	S	Cl	Ar
	22.99 Sodium	24.31 Magnesium											26.98 Aluminium	28.09 Silicon	30.97 Phosphorus	32.07 ^{Sulfur}	35.45 Chlorine	39.95 Argon
	19	20	21	22 Ti	23 V	24	25	26	27	28	29	30	31	32	33	34	35	36
	K	Ca	Sc			Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
	39.10 Potassium	40.08 Calcium	44.96 _{Scandium}	47.87 Titanium	50.94 Vanadium	52.00 Chromium	54.94 Manganese	55.85 Iron	58.93 Cobalt	58.69 Nickel	63.55 _{Copper}	65.38 Zinc	69.72 _{Gallium}	72.64 Germanium	74.92 Arsenic	78.96 Selenium	79.90 Bromine	83.80 Krypton
	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
	Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	Ι	Xe
	85.47 _{Rubidium}	87.61 Strontium	88.91 _{Yttrium}	91.22 Zirconium	92.91 Niobium	95.96 Molybdenum	Technetium	101.1 Ruthenium	102.9 Rhodium	106.4 Palladium	107.9 Silver	112.4 Cadmium	114.8 Indium	118.7 _{Tin}	121.8 Antimony	127.6 Tellurium	126.9 Iodine	131.3 Xenon
	55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Ι	Cs	Ba		Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Ро	At	Rn
2 -	132.9 _{Caesium}	137.3 Barium	Lanthanoids	178.5 Hafnium	180.9 Tantalum	183.9 Tungsten	186.2 Rhenium	190.2 Osmium	192.2 Iridium	195.1 Platinum	197.0 _{Gold}	200.6 Mercury	204.4 Thallium	207.2 Lead	209.0 Bismuth	Polonium	Astatine	Radon
'	87	88	89–103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118
	Fr	Ra		Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn	Nh	Fl	Mc	Lv	Ts	Og
	Francium	Radium	Actinoids	Rutherfordium	Dubnium	Seaborgium	Bohrium	Hassium	Meitnerium	Darmstadtium	Roentgenium	Copernicium	Nihonium	Flerovium	Moscovium	Livermorium	Tennessine	Oganesson
I		ncium Radium Actinoids Rutherfordium Dubnium Seaborgium Bohrium Hassium Meitnerium Darmstadtium Roentgenium Copernicium Nihonium Flerovium Moscovium Livermorium Tennessine Og.																
			Lanthanoids												1			
			57	58	59 Dr	60 NH	61 D	62 S	63 E	64 C 1	65	66 D	67	68 Ex	69 Tu	70 X1	71	
			La 138.9	Ce 140.1	Pr 140.9	Nd 144.2	Pm	Sm 150.4	Eu 152.0	Gd 157.3	Tb 158.9	Dy 162.5	Ho 164.9	Er 167.3	Tm 168.9	Yb 173.1	Lu 175.0	
			Lanthanum	Cerium	Praseodymium		Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holmium	Erbium	Thulium	Ytterbium	Lutetium	
	Actinoids																	
		Actinoids 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103																
			Ac	Th	Pa	92 U	95 Np	Pu Pu	Am	Cm	Bk	Cf	99 Es	Fm	Md	No	Lr	
				232.0	231.0	238.0	-											
			Actinium	Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium	Mendelevium	Nobelium	Lawrencium	

Standard atomic weights are abridged to four significant figures.

Elements with no reported values in the table have no stable nuclides.

Information on elements with atomic numbers 113 and above is sourced from the International Union of Pure and Applied Chemistry Periodic Table of the Elements (November 2016 version). The International Union of Pure and Applied Chemistry Periodic Table of the Elements (February 2010 version) is the principal source of all other data. Some data may have been modified.